1	Final	Exam	$\mathbf{R}\epsilon$	wiew	#2	wor	ke	heet
	r illat	T'X AIII	1/0	- V I - W	TT / .	wui	V 2	

Name:		
name:		

1	What is	output	by the	follo	wing
1.	Willat 15	output	by the	10110	· w 1115

```
String a = "sticks";
System.out.println(a.indexOf("h"));
```

2. What is output by the following:

```
String a = "sticks";
System.out.println(a.substring(3));
```

3. The Assignment class performs as indicated in the following table.

Command	Ouput
Assignment a = new Assignment("Math");	<no output=""></no>
<pre>System.out.println(a);</pre>	1. Math
Assignment b = new Assignment("APCS");	<no output=""></no>
System.out.println(b);	2. APCS
b.done();	<no output=""></no>
System.out.println(b);	2. APCS (completed)

Write the complete Assignment class here:

4. What it output when this code runs?

int h=10;
h--;
h/=3;
h+=h;
System.out.println(h);

5. Write a line which prints **num** to the **p** power, assuming both **num** and **p** are integers and are properly initialized:

6. Assume String array words is properly initialized of String array words and count and print the number	with valid Strings. Write code to check the contents r of entries where the first letter is the same as the last
letter:	i of charces where the first letter is the same as the last
letter.	
7. Referring as necessary to the Frog class to the	class Frog
right, write code below that does the following:	<pre>{ private int location;</pre>
	public Frog()
Create a 1000 element Frog array.	{location=0; }
	<pre>public void hop(int n) {location+=n; }</pre>
Instantiate each Frog.	<pre>public int getLocation()</pre>
	{return location;} public String toString()
Hop each Frog its index value. So the Frog at	{
location 0 gets hopped zero (sadly, it does not really	<pre>String temp = ""; for(int i = 0;i<location;i++)< pre=""></location;i++)<></pre>
get to hop) and the Frog at index 999 hops 999 spaces.)	{temp+=".";}
spaces.)	return temp+"@"; }
	}
8. Simplify this boolean expression:	9. Write code to declare a String array that contains
1/ 22 11 / 22 7 66 21 6 2 2	your first and last name as separate Strings using an
!(x <y &&="" (="")="")<="" th="" x<="7" y!="6" =""><th>array initializer.</th></y>	array initializer.
	I and the second
10. Problem 10 refers to the code to the right.	

Frog mrHops = new Frog();

mrHops is an instance of the class Frog.

circle one: True or False